



## i-SENSYS X 1238P Series

# DESKTOP DEVICES DELIVERING A PROFESSIONAL PRINT EXPERIENCE

Versatile A4 black and white laser printers to complement larger office print solutions



**PRODUCTIVITY**



**CONTROL AND  
MAINTENANCE**



**CONNECTIVITY**



**COMPACT DESIGN**



**SECURITY**

**Canon**

---

# i-SENSYS X 1238P Series

## PRODUCTIVITY

- Intuitive control with either 5-line LCD or 5" colour touchscreen display
- Fast print speeds
- Double-sided printing as standard
- Customisable display with Application Library

## SECURITY

- Embedded user authentication safeguards device access
- Secure Print prevents unauthorised viewing of printed material
- Verify System at Start-up enhances device integrity

## CONNECTIVITY

- Support for Apple Air Print and Mopria
- Compatible with Google Cloud Print and the Canon PRINT Business app
- Print directly from USB
- Streamline print processes with uniFLOW Online software\*

## COMPACT DESIGN

- Small footprint and weight allow for any office configuration
- Add additional cassettes for enhanced input capacity without compromising on device size
- All-in-one space saving toner cartridge lasts for longer

## CONTROL AND MAINTENANCE

- Flexible user management solutions for business administrators and IT department
- Remote access to device control functions
- Toner status tool reduces downtime

\*Available with the i-SENSYS X 1238P only

## QUICK FACTS

### i-SENSYS X 1238Pr

- 5-line LCD display
- Print Speed: 38ppm (A4)
- Print resolution: up to 1,200 x 1,200 dpi
- Automatic double-sided printing
- Network, USB and Wi-Fi connectivity
- Max paper input capacity: 900 sheets

### i-SENSYS X 1238P

- 5-inch/12.7cm TFT LCD touchscreen
- Print Speed: 38ppm (A4)
- Print resolution: up to 1,200 x 1,200 dpi
- Automatic double-sided printing
- Network, USB, Wi-Fi, and QR code connectivity
- uniFLOW compatibility
- Max paper input capacity: 900 sheets

## SERVICES

### CORE

Perform routine office operations safely and with ease, utilising embedded software including uniFLOW Online Express and other available services offering complete device maintenance and support



HARDWARE



SOFTWARE



SERVICES

### BESPOKE

Choose a tailored service to suit your business needs by removing unnecessary print management burdens. Consult with Canon experts about your specific requirements to find a fitting Print Managed Services option

### ENHANCED

Expand cloud capabilities with uniFLOW Online, Canon's all-in-one print management system

# TECHNICAL SPECIFICATIONS

# i-SENSYS X 1238P Series

## PRINTER ENGINE

<b>Print speed</b>	Single sided: Up to 38 ppm (A4) Up to 63.1 ppm(A5-Landscape) Double sided : Up to 31.9 ipm (A4)
<b>Printing method</b>	Monochrome laser beam printing
<b>Print resolution</b>	Up to 1200 x 1200 dpi
<b>Warm-up time</b>	Approx. 14 seconds or less from power on
<b>First Page Out Time</b>	Approx: 5.5 seconds or less
<b>Recommended Monthly Print Volume</b>	750 - 4,000 pages per month
<b>Duty cycle</b>	80,000 pages
<b>Print margins</b>	5 mm-top, bottom, left and right
<b>Advanced printing features</b>	Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print <sup>1</sup> Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

## MEDIA HANDLING

<b>Paper input (Standard)</b>	250-sheet cassette 100-sheet multi-purpose tray
<b>Paper input (Option)</b>	150-sheet cassette
<b>Paper output</b>	150-sheet
<b>Media types</b>	Plain paper, Recycled paper, Heavy Paper, Thin paper, Label, Post card, Envelope
<b>Media sizes</b>	Cassette (Standard and optional): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscape, 16K, Custom sizes: Min. 105 x 148 mm Max. 216.0 x 355.6 mm.  Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscape, 16K, Indexcard, Envelope (COM10, Monarch, C5, DL), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm.
<b>Media weights</b>	Cassette (standard and optional): 60 to 120 g/m <sup>2</sup> Multi-purpose tray: 60 to 163 g/m <sup>2</sup>
<b>Double sided printing</b>	A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, GLGL, Foolscape Custom size - Min. 210 x 279.4 mm Max. 216.0 x 355.6 mm 60 to 120 g/m <sup>2</sup>

## GENERAL FEATURES

<b>Power requirements</b>	220-240V(±10%) 50/60Hz (±2Hz)
<b>Power consumption</b>	Maximum: Approx. 1,330 W Standby: Approx. 9 W Sleep mode: Approx. 0.9 W Typical Electricity Consumption (TEC): 0.33 kWh/week <sup>2</sup> For detailed information relating to Lot26 regulation, please go to: <a href="http://www.canon-europe.com/For_Work/Lot26/index.aspx">http://www.canon-europe.com/For_Work/Lot26/index.aspx</a>
<b>Noise level</b>	Sound Pressure <sup>2</sup> : Active: 54 dB Standby: Inaudible <sup>3</sup>  Sound Power <sup>2</sup> : Active: 68 dB Standby: Inaudible <sup>3</sup>

## Dimensions (W x D x H)

## Weight

## Operating environment

## Control panel

## CONTROLLER

### Processor Speed

800MHz x 2

### Memory

1GB

### Printer Languages

UFRII, PCL 5e<sup>4</sup>, PCL6, Adobe® PostScript3

### Fonts

93 PCL fonts, 136 PS fonts

### Interface and connectivity

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection

### Software and Printer Management

i-SENSYS X 1238P:  
Remote User Interface (RUI), Department ID Management, Toner Status Tool,  
iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices  
eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.  
Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW compatibility / Application Library

i-SENSYS X 1238Pr:  
Remote User Interface (RUI), Department ID Management, Toner Status Tool,  
iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices  
eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.

### Operating Systems Compatibility

Windows® 10 / Windows® 8.1 / Windows® 7 / Server® 2019 / Server® 2016 / Server® 2012R2 / Server® 2012 / Server® 2008R2 / Server® 2008  
Mac OS X version 10.9.5 & up / Mac OS 10.15 & up  
Linux<sup>5</sup>

## CONSUMABLES

### All-in-One cartridges

TONER T08 (11,000 pages<sup>6</sup>)

## ACCESSORIES/ OPTIONS

### Items

i-SENSYS X 1238P:  
Cassette Feeding Module-AH1  
Barcode Printing Kit-E1E

i-SENSYS X 1238Pr:  
Cassette Feeding Module-AH1  
MiCard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW)  
MiCard Plus (Card reader for identification with RFID or magnetic cards with uniFLOW)  
MiCard Attachment kit-B1  
Barcode Printing Kit-E1E

## Notes:

<sup>[1]</sup> Accessory - Barcode Printing Kit-E1E - is required

<sup>[2]</sup> Declared noise emission in accordance with ISO 9296

<sup>[3]</sup> Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779

<sup>[4]</sup> A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.

<sup>[5]</sup> Web distribution only. Driver will be available from second half 2020 onwards.

<sup>[6]</sup> Based on ISO/IEC 19752

<sup>[7]</sup> As per US ENERGY STAR® version3.0.

## Software & Solutions



## Compatibility



**Canon**

**Canon Ireland**  
3006 Lake Drive  
Citywest, Saggart  
Co. Dublin, Ireland  
Telephone No: 01 2052400  
Facsimile No: 01 2052525  
canon.ie

**Canon (UK) Ltd**  
5 The Square  
Stockley Park  
Uxbridge  
UB11 1ET  
Tel: 01895 648 000  
www.canon.co.uk

**Canon Inc.**  
canon.com  
**Canon Europe**  
canon-europe.com  
English edition  
© Canon Europa N.V., 2020