



i-SENSYS X C1127P

SMART AND EFFICIENT DEVICE DELIVERING VIBRANT PRINT OUTPUT

Expand your print offering with a compact A4 colour printer



PRODUCTIVITY



**CONTROL AND
MAINTENANCE**



CONNECTIVITY



COMPACT DESIGN



SECURITY

Canon

i-SENSYS X C1127P

PRODUCTIVITY

- Quick and easy device set-up
- Smart touchscreen display
- Customisable options with Application Library
- Automatic duplex printing

SECURITY

- Embedded User Authentication secures device access
- Secure Print prevents unauthorised viewing of printed material
- Verify System at Start-up enhances device integrity

CONNECTIVITY

- Print from mobile devices, wherever you are
- Compatible with Mopria, Apple Air Print, Google Cloud Print, plus Canon PRINT Business app
- Cloud connectivity via Canon's uniFLOW Online software

COMPACT DESIGN

- Desktop size makes it easy fit into any office
- Additional optional cassettes can increase paper input capacity
- All-in-one cartridge design increases toner capacity

CONTROL AND MAINTENANCE

- Cloud and server-based software options for centralised fleet control
- Flexible user management solutions for business administrators and IT department
- Remote access to device control functions
- Toner status tool reduces downtime

QUICK FACTS

i-SENSYS X C1127P

- Print Speed: 27ppm (A4), 49ppm (A5 landscape)
- 5-inch/12.7cm TFT LCD touchscreen
- Print resolution: up to 1,200 x 1,200 dpi
- Automatic double-sided printing
- Network, Wi-Fi, USB, QR code and NFC connectivity
- Max paper input capacity: 850 sheets

SERVICES

CORE

Perform routine office operations safely and with ease, utilising embedded software including uniFLOW Online Express and other available services offering complete device maintenance and support



HARDWARE



SOFTWARE



SERVICES

BESPOKE

Choose a tailored service to suit your business needs by removing unnecessary print management burdens. Consult with Canon experts about your specific requirements to find a fitting Print Managed Services option

ENHANCED

Expand cloud capabilities with uniFLOW Online, Canon's all-in-one print management system

TECHNICAL SPECIFICATIONS

i-SENSYS X C1127P

PRINTER ENGINE

Print speed	Single sided : Up to 27 ppm (A4) Up to 49 ppm(A5-Landscape) Double sided : Up to 24.5 ipm (A4)
Printing method	Colour laser beam printing
Print resolution	Up to 1200 x 1200 dpi
Warm-up time	Approx. 13 seconds or less from power on
First Page Out Time	Colour approx.: 8.6 seconds or less Mono approx.: 7.7 seconds or less
Recommended Monthly Print Volume	750 - 4,000 pages per month
Duty cycle	Max. 50,000 pages per month ¹
Print margins	5 mm-top, bottom, left and right
Advanced printing features	Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print ² Touch & Print (NFC) Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

MEDIA HANDLING

Paper input (Standard)	250-sheet cassette 50-sheet multi-purpose tray
Paper input (Option)	550-sheet cassette
Paper output	150-sheet
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Label, Post card, Envelope
Media sizes	Cassette (Standard): A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 216.0 x 355.6 mm. Multi-purpose tray: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm. Cassette (Optional): A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 216.0 x 355.6 mm.
Media weights	Cassette (standard and optional): 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) Multi-purpose tray: 60 to 176 g/m ² (Up to 200 g/m ² with Coated paper)
Double sided printing	Automatic Cassette (standard and optional): A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm 60 to 200 g/m ²

GENERAL FEATURES

Power requirements	220-240V (±10%) 50/60Hz (±2Hz)
Power consumption	Maximum: Approx. 1,380W or less Active printing: Approx. 470W Standby: Approx. 17.0W or less Sleep: Approx. 0.6W or less Typical Electricity Consumption (TEC): 0.31 kWh/week ⁷ For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx
Noise level	Sound power ² Active: Simplex 63 dB or less / Duplex 64 dB or less Standby: 42 dB or less Sound pressure ³ Active: Simplex 48 dB / Duplex 49 dB Standby: 28 dB 476 mm x 469 mm x 379 mm Approx. 19.0 kg Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation) 12.7 cm LCD Colour Touch Screen
Dimensions (W x D x H)	
Weight	
Operating environment	
Control panel	
CONTROLLER	
Processor Speed	800MHz x 2
Memory	1GB
Printer Languages	UFRII, PCL5c ⁴ , PCL6, Adobe® PostScript3
Fonts	93 PCL fonts, 136 PS fonts
Interface and connectivity	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
Software and Printer Management	Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW compatibility / Application Library
Operating Systems Compatibility	Windows® 10 / Windows® 8.1 / Windows® 7 / Server® 2016 / Server® 2012R2 / Server® 2012 / Server® 2008R2 / Server® 2008 Mac OS X version 10.9.5 & up / Mac OS 10.15 & up Linux ⁵ /Citrix
CONSUMABLES	
All-in-One cartridges	TONER T09 Black (7,600 pages ⁶) TONER T09 Cyan (5,900 pages ⁶) TONER T09 Magenta (5,900 pages ⁶) TONER T09 Yellow (5,900 pages ⁶)
ACCESSORIES/ OPTIONS	
Items	CST.Feeding Module-AF1 (550-sheet cassette) Barcode Printing Kit-E1E MiCard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW) Micarwd Plus (Card reader for identification with RFID or magnetic cards with uniFLOW) MiCard Attachment Kit-B1

Notes:

- ⁽¹⁾ Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- ⁽²⁾ Accessory - Barcode Printing Kit-E1E is required
- ⁽³⁾ Declared noise emission in accordance with ISO 9296
- ⁽⁴⁾ Commands supported only. Third party driver or direct printing from application required.
- ⁽⁵⁾ Web distribution only. Driver will be available from second half 2020 onwards.
- ⁽⁶⁾ Based on ISO/IEC19798
- ⁽⁷⁾ As per US ENERGY STAR® version3.0.

Software & Solutions



Compatibility



Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
5 The Square
Stockley Park
Uxbridge
UB11 1ET
Tel: 01895 648 000
www.canon.co.uk

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
© Canon Europa N.V., 2020