

# Highly intelligent device

Intelligent, productive and utterly reliable, this compact A4 black and white multifunctional printer effortlessly keeps pace with your changing business requirements.

# Intuitive touchscreen interface

- Smart Operation Panel
- Time-saving Smart apps
- Ricoh Smart Integration
- Regular firmware upgrades

The IM 550F can print, copy, scan and fax. Its 10.1 inch Smart Operation Panel simplifies operation. Smart apps, such as ID Card Copy, automate time-consuming processes and with Ricoh Smart Integration, new applications can be downloaded from the Cloud. Indeed, RICOH Always Current Technology ensures that the all in one printer constantly adapts to your changing needs.

# Productive print performance

- 1200 dpi, PCL & PS ready
- Fast 55 ppm print speed
- 2600 sheets capacity (max)
- Long-life 500k drum

Driving your business forward, the IM 550F powers quickly through workgroup print requirements. Its Intel processor effortlessly handles PCL and PostScript files. To improve workflow speed, the first immaculate 1,200 dpi print is ready in 2.4 seconds and multipage document sets are delivered at a productive 55 ppm. What is more, with up to 2,600 sheets paper on line and a long-life imaging drum ensuring maintenance free performance, there is seldom any need for it to stop.



The versatile 4-in-1 MFP is equipped with a Single Pass Document Feeder (SPDF). To save time, double sided originals are scanned in a single pass and can be forwarded to email or uploaded directly to Cloud-share services, such as DropBox<sup>™</sup> and Sharepoint<sup>™</sup>. The Smart Operation Panel also supports the use of enterprise workflow solutions, including Ricoh's Streamline NX. And, with Near Field Communication (NFC), secure authentication is as easy as tap and go.

# **Enterprise-level security**

- Fast single-pass scanning
- Upload directly to Cloud
- Run enterprise solutions
- Secure authentication



GENERAL	

GENERAL	
Warm-up time	25.4 seconds
First output speed: B/W	2.4 seconds
Continuous output speed	55 ppm
Memory: standard	2 GB
Memory: maximum	2 GB
HDD: standard	320 GB
Weight	29 kg
Dimensions: W x D x H	480 x 539 x 644 mm
Power source	220 - 240 V, 50 - 60 Hz
COPIER	
Multiple copying	Up to 999 copies
Resolution	600 x 600 dpi
Enlargement/reduction	50 - 200%
Zoom	From 25% to 400% in 1% steps
PRINTER	
CPU	Intel® Apollo Lake Processor 1.3 GHz
Printer language: standard	PCL5e, PCL6(XL), PostScript 3 (emulation), PDF direct (emulation)
Printer language: option	Genuine Adobe® PostScript®3™
Print resolution: maximum	1,200 x 1,200/1 bit
Protocol	TCP/IP, IPX/SPX
Security	WEP, WPA, WPA2
Network interface: standard	Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host Type miniB, Bluetooth, USB Host I/F, USB Device 2.0, SD slot, NFC tag
Network interface: option	Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), USB Device Server Option
Mobile printing capability	Apple AirPrint, Mopria®, Google Cloud Print, NFC, Ricch Smart Device Connector
Network protocol	TCP/IP (IP v4, IP v6)
Vindows® environments	
	Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008, Windows® Server 2008R2 Macintosh OS X Native v10.11 or later
les OC anuirennente	
UNIX environments	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5
Mac OS environments UNIX environments SAP® environments	
UNIX environments SAP® environments SCANNER	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3®
UNIX environments SAP® environments SCANNER Scanning: B/W	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex)
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3®
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 500 dpi	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex)
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 500 dpi Compression method	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 500 dpi Compression method	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF,
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 500 dpi Compression method File formats	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF,
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour S00 dpi Compression method File formats Scan modes	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 500 dpi Compression method File formats Scan modes FAX PSTN, PBX	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 500 dpi Compression method File formats Scan modes FAX 2STN, PBX Compatibility	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes FAX PSTN, PBX Compatibility Fransmission speed	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/22 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes FAX PSTN, PBX Compatibility Fransmission speed Vodem speed: maximum	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Single page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes FAX PSTN, PBX Compatibility Fransmission speed Modem speed: maximum Resolution: standard	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/22 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes FAX 2STN, PBX Compatibility Fransmission speed Modem speed: maximum Resolution: standard Compression method	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/22 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes FAX 2STN, PBX Compatibility Fransmission speed Modem speed: maximum Resolution: standard Compression method Scanning speed	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH, MR, MMR, JBIG, MH, MR, MMR, JBIG 61 spm
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes FAX 2STN, PBX Compatibility Fransmission speed Modem speed: maximum Resolution: standard Compression method Scanning speed	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/22 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB
UNIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes FAX PSTN, PBX Compatibility Fransmission speed Vodem speed: maximum Resolution: standard Compression method Scanning speed Page memory size	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH, MR, MMR, JBIG, MH, MR, MMR, JBIG 61 spm Standard: 4 MB With optional SAF memory: 8 MB
UNIX environments SAP® environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes FAX PSTN, PBX Compatibility Fransmission speed Vodem speed: maximum Resolution: standard Compression method Scanning speed Page memory size	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH, MR, MMR, JBIG, MH, MR, MMR, JBIG 61 spm Standard: 4 MB
INIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 600 dpi Compression method cile formats Scan modes SCAN PBX Compatibility Transmission speed Addem speed: maximum Resolution: standard Compression method Scanning speed Page memory size SAF memory size	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH, MR, MMR, JBIG, MH, MR, MMR, JBIG 61 spm Standard: 4 MB With optional SAF memory: 8 MB Standard: 4 MB (approximately 320 pages)
UNIX environments SAP® environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 500 dpi Compression method File formats Scan modes FAX PSTN, PBX Compatibility Fransmission speed Modern speed: maximum Resolution: standard Compression method Scanning speed Page memory size SAF memory size PAPER HANDLING	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH, MR, MMR, JBIG, MH, MR, MMR, JBIG 61 spm Standard: 4 MB With optional SAF memory: 8 MB Standard: 4 MB (approximately 320 pages)
INIX environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 800 dpi Compression method 600 dpi Compression method 61 fe formats Scan modes FAX PSTN, PBX Compatibility Transmission speed Modem speed: maximum Resolution: standard Compression method Scanning speed Page memory size SAF memory size SAF memory size PAPER HANDLING Recommended paper size	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH, MR, MMR, JBIG, MH, MR, MMR, JBIG 61 spm Standard: 4 MB With optional SAF memory: 8 MB Standard: 4 MB With optional SAF memory: 8 MB
INIX environments SAP® environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 500 dpi Compression method 600 dpi Compression method 61 fe formats Scan modes FAX PSTN, PBX Compatibility Transmission speed Modem speed: maximum Resolution: standard Compression method Scanning speed Page memory size SAF memory size SAF memory size PAPER HANDLING Recommended paper size Paper input: standard	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Single page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 6x7.7 line/mm, 200x200 dpi MH, MR, MMR, JBIG, MH, MR, MMR, JBIG 61 spm Standard: 4 MB With optional SAF memory: 8 MB Standard: 4 MB (approximately 320 pages) Optional: 60 MB (approximately 4,800 pages)
UNIX environments SAP® environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method "lile formats Scan modes FAX STN, PBX Compatibility Fransmission speed Modem speed: maximum Resolution: standard Compression method Scanning speed Page memory size SAF memory size SAF memory size PAPER HANDLING Recommended paper size Paper input: standard Pager input: maximum	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH, MR, MMR, JBIG, MH, MR, MMR, JBIG 61 spm Standard: 4 MB With optional SAF memory: 8 MB Standard: 4 MB (approximately 320 pages) Optional: 60 MB (approximately 4,800 pages)
UNIX environments SAP® environments SAP® environments SCANNER Scanning: B/W Scanning: full colour 300 dpi Compression method File formats Scan modes FAX PSTN, PBX Compatibility Fransmission speed Wodem speed: maximum Resolution: standard Compression method Scanning speed Page memory size SAF memory size SAF memory size SAF memory size PAPER HANDLING Recommended paper size Paper input: standard Paper output: standard	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R/3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi 61 spm Standard: 4 MB With optional SAF memory: 8 MB Standard: 4 MB (approximately 320 pages) Optional: 60 MB (approximately 320 pages) Optional: 60 MB (approximately 320 pages) Optional: 60 MB (approximately 320 pages) 2,600 sheets 500 sheets
UNIX environments	UNIX Sun® Solaris (10), HP-UX (11.x, 11i v2, 11i v3), 5.0.7, 6.0, 6.x, RedHat® Linux Enterprise, IBM® AIX (V6.1, V7.1), 7.5 SAP® R3® 60 ipm (simplex)/100 ipm (duplex) 40 ipm (simplex)/62 ipm (duplex) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale - Colour: JPEG, Colour: JPEG Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A E-mail, Folder, USB, SD Card, E-mail, Folder, USB ITU-T (CCITT) G3 2 seconds 33.6 Kbps 8x7.7 line/mm, 200x200 dpi MH, MR, MMR, JBIG, MH, MR, MMR, JBIG 61 spm Standard: 4 MB With optional SAF memory: 8 MB Standard: 4 MB (approximately 320 pages) Optional: 60 MB (approximately 4,800 pages)

ECOLOGY

Power consumption: max. Power consumption: operation Power consumption: ready Power consumption: sleep TEC\* \* It is a reference value based on the ENERGY STAR Ver.3.0 test method.

#### SOFTWARE

@Remote, Streamline NX v3, device management only (not embedded), Device Manager NX

### OUTPUT TRAYS AND FINISHER OPTIONS

## 4x 500-sheet paper tray

## OTHER OPTIONS

Fax connection unit, High cabinet, Low cabinet, Caster table, VM card, Device server unit, File format converter, OCR unit, Enhanced security HDD, Data overwrite security unit, NFC card reader, Paperlock

#### CONSUMABLES

Starter toner Toner (regular yield) Consumable yield measuring method ISO/IEC 19798 10,000 prints 25,500 prints

+44(0)1604 814900

www.ricoh.co.uk


(⊕)

Less than 1,500 W

710 W

88.2 W 0.65 W

0.77 kWh/week



Ricoh UK Ltd.

300 and 800 Pavilion Drive Northampton Business Park NN4 7YL Northampton United Kingdom



All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight diff Copyright © 2021 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.





🚷 Bluetooth

Wifi







