TOSHIBA

E-STUDIO2329A E-STUDIO2829A

Product brochure

- Benefit from these two highly reliable and robust monochrome A3 systems with speeds of 23 or 28 pages per minute.
- Based on sophisticated technology, the e-STUDIO2329A/2829A easily integrate into networks, support mobile printing and are intuitive to use.
- Designed to meet the highest environmental standards, both models help save valuable resources.





Benefits

All-in-one

The versatile monochrome systems e-STUDIO2329A/2829A offer print, colour scan, copy and optional fax. They can meet all demands of a modern office environment, including printing from and scanning to mobile devices.

With an output speed of 23 or 28 pages per minute and up to five different paper sources these models are capable of supporting an entire workgroup. The total paper capacity of up to 1,700 sheets for A5 to A3 formats, ensures smooth operation without the need to constantly refill paper trays.

Connectivity

Both systems can easily be integrated into existing networks. The standard network capability can be extended with the optional Wireless LAN module, which gives you more flexibility.

Various colour scan functions, such as Scan to USB, Scan to E-Mail or Scan to Folder, let you easily share and manage your electronic documents.

Ease-of-use


The intuitive user interface provides the highest possible efficiency when operating the systems. Logical key configuration and a clearly structured menu allow users to enjoy all the benefits right from the start.

We are aware that each company has individual needs and requirements. Therefore, the e-STUDIO2329A/2829A were designed to adjust to your demands. Thanks to a flexible configuration they offer optimal efficiency.

Benefit from the outstanding reliability and durability of these versatile systems.



Configuration



Specifications

General

Print & Copy Speed A4: 23/28 ppm

A3: 14/14 ppm

Warm-up Time ~ 15 seconds

Cassette: A5R-A3, 64-80 gsm Paper Size & Weight

Bypass: A5R-A3, 52-216 gsm

Cassette: 1x 250 sheets, **Paper Capacity** Bypass: 1x 100 sheets

Max. 1,700 sheets

Inner Output Tray 100-sheet capacity **Automatic Duplex** A5R-A3, 64-80 gsm 512 MB RAM Memory

Interface 10Base-T/100Base-TX (incl. IPv6),

High Speed USB 2.0, WLAN¹⁾ (IEEE802.11b/g/n)

Dimensions & Weight 575 x 540 x 402 mm (W x D x H), ~ 25.5 kg

Initial Consumables Toner, Drum, Developer

Print

Resolution Max. 2,400 x 600 dpi with smoothing

Page Description

Supported Systems

Language

PCL 5e & 6 and PostScript 31) compatible

Windows 10/8.1/7/Server 2008 SP2 (32/64 bit), Windows Server 2016/Server 2012/Server 2008 R2 SP1 (64 bit), Mac OS 10.11-10.14, Unix/Linux

Print Functions Universal Printer Driver, Print from USB, Multiple pages

per sheet, Toner save mode

Scan

Resolution Max. 600 x 600 dpi

Scan Speed Monochrome/Colour: 25/18 ipm (300 dpi)

Scan Modes Colour, Greyscale, Monochrome JPEG, Multi/Single Page TIFF/PDF **File Formats**

(via e-STUDIO Scan Editor)

Scan Functions Scan templates, Scan to USB, Scan to E-Mail, TWAIN,

Scan to Mobile

Copy

Resolution Scan: 600 x 600 dpi

Print: 2,400 x 600 dpi with smoothing

First Copy Output Time

Platen: 25-400%, RADF1): 25-400% Zoom

Copy Modes Text, Text/Photo, Photo, Background erase

Copy Functions Copy templates, Electronic Sort, ID Card Copy, Edge

Erase, 2-in-1 / 4-in-1 mode, Auto sort2)

Fax1)

Communication Super G3, G3

Transmission Speed ~ 3 seconds per page JBIG, MMR, MR, MH Compression

Fax Memory 6 MB Transmission/Reception

Network Fax Driver for Windows 10/8.1/7 SP1/Server 2008 SP2

(32/64 bit), Windows Server 2016/Server 2012/Server

2008 R2 SP1 (64 bit)

One-touch dialing (5 keys), Group dialing **Fax Functions**

System & Security

Device Management TopAccess for remote administration and configuration

System Features Internal toner recycling, Energy-saving modes

Accounting & Security 100 department codes, IP and MAC address filter,

SSL support

Options

RADE 50-sheet capacity,

A5R-A3, 50-104 gsm

Paper Feed Unit 1x 250-sheet capacity,

A5R-A3, 64-80 gsm

Paper Feed Pedestal 1x 550-sheet capacity,

A5R-A3, 64-80 gsm

Drawer Module For Paper Feed Pedestal

550-sheet capacity, A5R-A3, 64-80 gsm

Desk

Fax Board

Wireless LAN Module

PostScript Module

Including 512 MB memory

e-BRIDGE Print & Capture App e-BRIDGE Print & Capture Entry App



1) Optional

2) Requires RADF

About Toshiba Tec

To shiba Tec UK Imaging Systems is part of the globally operating To shiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec UK Imaging Systems Ltd

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT168RB

Telephone

+44 (0)843 224494

Fmail

info@toshibatec.co.uk

Website

www.toshibatec.co.uk