# Xerox® VersaLink® Printers and Multifunction Printers

Configurable, connected and highly capable.



B400/B405





## Xerox<sup>®</sup> Versalink<sup>®</sup> B400 Printer and Xerox<sup>®</sup> Versalink<sup>®</sup> B405 Multifunction Printer

Whether stand-alone or as a part of your extended fleet, the Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer take your team to new levels of productivity becoming true workplace assistants. Work the way you want — from any device — with maximum security and easy connectivity to and from both cloud and network-based locations.

#### EASY, OPTIMIZED PRODUCTIVITY.

Right out of the box, you'll count on your Xerox® VersaLink® B400 Printer or VersaLink® B405 Multifunction Printer to make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go — hassle free. And count on day in, day out reliability thanks to our trusted paper path technology.

VersaLink® devices are loaded with features designed to reduce inefficiency. Device management and user training can be done anywhere with the time-saving Remote Control Panel. Ensure information accuracy with Scan and Fax Preview¹, and do more with scanned documents with built-in optical character recognition (OCR).

The most security-minded businesses and governments choose Xerox. We offer a comprehensive approach to print security that includes a powerful mix of built-in features and services that mitigate risk through a vigorous focus to prevent unauthorized access, detect suspect or malicious behavior, and protect data and documents.

#### AN ENTIRELY NEW WAY TO WORK.

The customizable 5-inch color touchscreen allows you to breeze your way through tasks with mobile-like ease.

Xerox® ConnectKey® Apps, accessed via the extensive Xerox App Gallery, provide expanded functionality — like the optional Xerox® Easy Translator Service app, which quickly translates scanned documents into numerous languages. Get more done in less time by creating customized 1-Touch Apps¹ to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured.

And with Simple ID, individual users and groups enter a user ID and password once to experience fast, secure access to task-specific presets and commonly used apps on a personalized home screen.

### UPWARD MOBILITY FOR EVERY WORK STYLE.

The VersaLink® B400 Printer and

VersaLink® B405 Multifunction Printer give you the freedom to work where and how you want — with access to Google Drive™, Microsoft® OneDrive® and DropBox™ and additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink® devices meet the challenge with Apple® AirPrint®, Xerox® Print Services plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria® plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/Mobile.

#### ENVIRONMENTAL STEWARDSHIP.

VersaLink® devices meet or exceed the requirements of the world's most widely recognized certifications for product environmental performance, including EPEAT®, which verifies manufacturer claims regarding design, production, energy use and recycling. (See the complete list of EPEAT-verified VersaLink® products.) For more information about our environmental, health, safety and sustainability efforts, visit www.xerox.com.

## XEROX<sup>®</sup> CONNECTKEY<sup>®</sup> TECHNOLOGY.

#### **Intuitive User Experience**

A familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

#### Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

#### Benchmark Security

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorized access, detect suspect or malicious behavior, and protect data and documents.

#### **Enables Next Generation Services**

Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

#### **Gateway to New Possibilities**

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at www.ConnectKey.com.

¹VersaLink® B405 only.



#### **CHOOSE THE CONFIGURATION** THAT MEETS YOUR NEEDS:

- 1 A 60-sheet Reversing Automatic Document Feeder (RADF) scans two-sided originals for copy, scan and fax jobs.
- 2 Card Reader Bay with embedded USB port.1
- **3 An easily accessible USB port**<sup>1</sup> allows users to quickly print from or scan to² any standard USB memory device.
- 4 250-sheet output tray with tray-full sensor.
- 5 The 150-sheet Bypass Tray handles media sizes from 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm.

- 6 With the 550-sheet paper tray, standard paper capacity totals 700 sheets (including Bypass Tray).
- 7 Up to three optional 550-sheet paper trays increase total paper capacity to 2,350 sheets.
- **8 The optional Stand** provides storage for toner cartridges, paper and other supplies.
- <sup>1</sup> USB ports can be disabled. <sup>2</sup> VersaLink<sup>®</sup> B405 only.



Xerox® VersaLink® B405 Multifunction Printer Print. Copy. Scan. Fax. Email.

#### INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet our tiltable, 5-inch capacitive color touchscreen — the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® B400 Printer or VersaLink® B405 Multifunction Printer get more work done, faster.





Xerox® VersaLink® B400 Printer Print.

#### Xerox® VersaLink® B400/B405



The VersaLink® B400 Printer and B405 Multifunction Printer are built on Xerox® ConnectKey® Print Service Technology. For more information, visit www.ConnectKey.com.

Device   Speed   Up to 47 ppm letter/Up to 45 ppm A4
Duty Cycle <sup>2</sup> Up to 150,000 pages/month <sup>2</sup> Processor/Memory 1,05 GHz ARM Dual-Core/2GB Connectivity Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connection supported), NFC Tap-to-Pair Controller Features Unified Address Book (8405), Configuration Cloning, Scan Preview (8405), Xerox Extensible Interface Platform®, Xerox® App Gallery App, Xerox® Standard Accounting Tool, Online Support  Paper Handling Paper Input Standard Paper Input Standard Optional Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Optional Tray: Up to 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Total Capacity (std./max.) 700 sheets/2,350 sheets Paper Output Standard Automatic Two-sided Output Standard Print and Copy Resolution Print: Up to 1200 x 1200 dpi (enhanced) Print: Up to 1200 x 1200 dpi (enhanced) Print: Up to 1200 x 1200 dpi (enhanced) Print: As fast as 4.7 seconds (as fast as) Page Description Languages PCL®Se/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™ INTUITIVE USER EXPERIENCE Customize and Personalize Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery Xerox® Embedded Web Server PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Processor/Memory  In 1.05 GHz ARM Dual-Core/2GB  Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connection supported), NFC Tap-to-Pair  Controller Features  Unified Address Book (B405), Configuration Cloning, Scan Preview (B405), Xerox Extensible Interface Platform®, Xerox® App Gallery App, Xerox® Standard Accounting Tool, Online Support  Reversing Automatic Document Feeder (RADF): 60 sheets; Custom Sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)  Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Optional  Tray 1: Up to 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Total Capacity (std./max.)  700 sheets/2,350 sheets  Automatic Two-sided Output  250 sheets  Automatic Two-sided Output  Print: Up to 1200 x 1200 dpi (enhanced)  Copy: Up to 600 x 600 dpi  First-Page-Out Time (as fast as)  Print: Up to 1200 x 1200 dpi (enhanced)  Copy: Up to 600 x 600 dpi  Print: As fast as 4.7 seconds  Print: As fast as 5.1 seconds  Copy: As fast as 6.2 seconds  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Xerox® Embedded Web Server  Pc or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connection supported), NFC Tap-to-Pair  Controller Features  Unified Address Book (8405), Configuration Cloning, Scan Preview (8405), Xerox Extensible Interface Platform®, Xerox® App Gallery App, Xerox® Standard Accounting Tool, Online Support  NA  Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.8 x 8.5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Optional  Tray 1: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Total Capacity (std./max.)  Paper Output  250 sheets  Automatic Two-sided Output  Print: Up to 1200 x 1200 dpi (enhanced)  First-Page-Out Time (as fast as)  Print: As fast as 4.7 seconds  Print: As fast as 5.1 seconds  Copy: Up to 600 x 600 dpi  Print: As fast as 5.1 seconds  Copy: As fast as 6.2 seconds  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize 9 Status Information, Responsive Design, Settings, Device Management, Cloning  Keversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 2 s.5 x 8.5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Tray 1: Up to 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Tray 1: Up to 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Tray 1: Up to 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Print: Up to 1200 x 1200 dpi (enhanced)  Print: Up to 1200 x 1200 dpi (enhanced)  Copy: Up to 600 x 600 dpi  Print: As fast as 5.1 seconds  Copy: As fast as 6.2 seconds  Print: As fast as 6.2 seconds  Reversing Automatic Document Feeder (RADF): 61 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  Print: Up
supported), NFC Tap-to-Pair  Controller Features  Unified Address Book (B405), Configuration Cloning, Scan Preview (B405), Xerox Extensible Interface Platform®, Xerox® App Gallery App, Xerox® Standard Accounting Tool, Online Support  NA  Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)  Optional  Tray 1: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  3 Additional Trays: Up to 550 sheets each; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./140 x 210 mm to 216 x 356 mm  Total Capacity (std./max.)  700 sheets/2,350 sheets  Paper Output  Automatic Two-sided Output  Standard  Print: Up to 1200 x 1200 dpi (enhanced)  Print: Up to 1200 x 1200 dpi (enhanced)  Copy: Up to 600 x 600 dpi  First-Page-Out Time (as fast as)  Print: As fast as 4.7 seconds  Cafe Secription Languages  PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Name
Standard   Standard   Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm
Optional  Tray 1: Up to 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm  3 Additional Trays: Up to 550 sheets each; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./140 x 210 mm to 216 x 356 mm  Total Capacity (std./max.) 700 sheets/2,350 sheets  Paper Output 250 sheets  Automatic Two-sided Output  Print and Copy Resolution Print: Up to 1200 x 1200 dpi (enhanced)  Print: Up to 1200 x 1200 dpi (enhanced)  Copy: Up to 600 x 600 dpi  Print: As fast as 4.7 seconds  Print: As fast as 5.1 seconds  Copy: As fast as 6.2 seconds  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
3 Additional Trays: Up to 550 sheets each; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./140 x 210 mm to 216 x 356 mm  Total Capacity (std./max.) 700 sheets/2,350 sheets  Paper Output 250 sheets  Automatic Two-sided Output Standard  Print and Copy Resolution Print: Up to 1200 x 1200 dpi (enhanced)  First-Page-Out Time (as fast as)  Print: As fast as 4.7 seconds  Print: As fast as 5.1 seconds  Copy: Up to 600 x 600 dpi  Print: As fast as 5.1 seconds  Copy: As fast as 6.2 seconds  TINTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Total Capacity (std./max.)  Paper Output  250 sheets  Automatic Two-sided Output  Standard  Print and Copy Resolution  Print: Up to 1200 x 1200 dpi (enhanced)  Copy: Up to 600 x 600 dpi  Print: As fast as 5.1 seconds  (as fast as)  Page Description Languages  PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Total Capacity (std./max.)  Paper Output  250 sheets  Automatic Two-sided Output  Standard  Print and Copy Resolution  Print: Up to 1200 x 1200 dpi (enhanced)  Copy: Up to 600 x 600 dpi  Print: As fast as 5.1 seconds  (as fast as)  Page Description Languages  PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Paper Output  Automatic Two-sided Output  Print and Copy Resolution  Print: Up to 1200 x 1200 dpi (enhanced)  Print: Up to 1200 x 1200 dpi (enhanced)  Copy: Up to 600 x 600 dpi  Print: As fast as 5.1 seconds (as fast as)  Page Description Languages  PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Automatic Two-sided Output  Print and Copy Resolution  Print: Up to 1200 x 1200 dpi (enhanced)  Copy: Up to 600 x 600 dpi  Print: As fast as 4.7 seconds (as fast as)  Page Description Languages  PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Print: Up to 1200 x 1200 dpi (enhanced)  Fist-Page-Out Time (as fast as)  Page Description Languages  PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Resolution Print: Up to 1200 x 1200 dpi (enhanced) Copy: Up to 600 x 600 dpi  First-Page-Out Time (as fast as 4.7 seconds Print: As fast as 5.1 seconds Copy: As fast as 5.1 seconds  Page Description Languages PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™  INTUITIVE USER EXPERIENCE  Customize and Personalize Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
First-Page-Out Time (as fast as)  Print: As fast as 4.7 seconds  Copy: As fast as 5.1 seconds  Copy: As fast as 6.2 seconds  PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™  INTUITIVE USER EXPERIENCE  Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID,  Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Page Description Languages PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™ INTUITIVE USER EXPERIENCE Customize and Personalize Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery Print Drivers Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver® Xerox® Embedded Web Server PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
INTUITIVE USER EXPERIENCE  Customize and Personalize Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Customize and Personalize  Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers  Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server  PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Customize by Site and Function or Workflow with Xerox App Gallery  Print Drivers Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®  Xerox® Embedded Web Server PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Xerox® Embedded Web Server PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Remote Console Remote Control Panel
Preview NA Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features Print Form USB, Secure Print, Sample Set, Personal Print, Saved Job, Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recc Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan NA Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SN Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scate to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Secure Scanning via SFTP
Fax 3 NA Fax Features: Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email, Server Fax)
MOBILE AND CLOUD READY
Mobile Printing Apple® AirPrint®4, Mopria® Certified, Mopria® Print Service Plug-in for Android™, Xerox®@printbyXerox App, Xerox® Print Services plug-in for Android™
Mobility Options  Xerox® Mobile Print and Xerox® Mobile Print Cloud App, Connect via NFC/Wi-Fi Direct Printing, Xerox® Mobile Link App (B405) Visit www.xerox.com/OfficeMobileApps for available apps
Cloud Connectors <sup>5</sup> Print from/Scan to <sup>6</sup> Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more
BENCHMARK SECURITY
Network Security  IPsec, HTTPS, Encrypted Email, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration
Device Access  Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Trusted Platform Module (TPM)
Data Protection  Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS Submission, Encrypted Hard Disk (AES 256-bit, FIPS 140-2), Common Criteria Certification (ISO 15408), Encrypted Apps with Embedded Certificate Support
Document Security  Secure Print, Secure Fax (B405), Secure Email (B405), Password Protected PDF (B405)
ENABLES NEXT GENERATION SERVICES
Print Management  Xerox® Standard Accounting; Optional: Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at xerox.com/PrintManagement
Fleet/Device Management  Xerox® Device Manager, Xerox® Support Assistant App, Auto Meter Read, Managed Print Services tools, Configuration Cloning
Sustainability  Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print User ID on margins
GATEWAY TO NEW POSSIBILITIES
Cloud Services Xerox® Easy Translator (B405), Xerox® Healthcare MFP Solution (B405 – U.S. only), CapturePoint™ (B405), many additional services available
aloua services   Acrox Easy manifector to 103/, Acrox registraction (Data services and Data services a

Declared print speed in accordance with ISO/IEC 24734. Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; Requires analog phone line; \* Visit www.apple.com for AirPrint Certification list; \* Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery; \* Scan to available for B405.

#### Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications

Supplies

Standard Capacity Toner Cartridge: 5,900 pages<sup>7</sup> 106R03580 High Capacity Toner Cartridge: 13,900 pages<sup>7</sup> 106R03582

Extra High Capacity Toner Cartridge: 24,600 pages'
Drum Cartridge: 65,000 pages<sup>8</sup> 106R03584 Options

550-sheet Feeder (B400) 497K13620 550-sheet Feeder (B405) 497K13630 097S04913 497K13660 Productivity Kit with 16 GB Solid State Drive Stand Wireless Network Adapter (Wi-Fi Kit) 497K16750

Warranty One year on site warranty9 Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

8 Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit https://www.office.xerox.com/latest/SUPGL-01.PDF.

<sup>9</sup> Products purchased under a PagePack/eClick agreement do not carry a warranty. Please refer to your service agreement for full details of your enhanced service package.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersaLinkB400Specs or www.xerox.com/VersaLinkB405Specs For more information, visit us at www.xerox.com.

